	L #	Hits	Search Text	DBs	Time Stamp
1	L1	48662	powder near5 coating	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	2002/01/10 07:04
2	L2	33474	(spherical or spheroidal) near5 particle	USPAT; US-PGPU	2002/01/10 09:10
3	L3	6317	(glass or ceramic or polymer or metal) near5 microsphere or spheroidal near5 mineral or zeesphere or spheriglass	USPAT; US-PGPU	2002/01/10 12:21
4	L4	43828	particle adj5 distribution	USPAT; US-PGPU	
5	L5	140	1 and (2 or 3) near10 4	USPAT; US-PGPU	2002/01/10 08:58
6	L6	0	1 and (2 or 3) near10 4 near10 (max or maximum)	USPAT; US-PGPU B; EPO;	2002/01/10 07:09
7	L7	4	1 and (2 or 3) near10 4 near10 median	USPAT; US-PGPU	2002/01/10 07:08
8	L8	0	1 and (2 or 3) near10 4 same (max or maximum)	USPAT; US-PGPU	2002/01/10 07:09
9	L9	22	1 and (2 or 3) near10 4 and 4 same (max or maximum)	USPAT; US-PGPU	2002/01/10 10:14

	L#	Hits	Search Text	DBs	Time Stamp
10	L10	150	* * * * * * * * * * * * * * * * * * *	DERWENT	2002/01/10 07:33
11	L11	0	3 near10 sphere adj ratio	IBM_TDB USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM_TDB	2002/01/10 07:28
12	L12	0	3 same sphere adj ratio	USPAT; US-PGPU	2002/01/10 07:28
13	L13	0	2 near10 sphere adj ratio	USPAT; US-PGPU	2002/01/10 07:28
14	L14	49	(2 or 3) near10 (dm or "d.sub.m")	USPAT; US-PGPU B; EPO; JPO; DERWENT;	2002/01/10 07:31
15	L15	3	("4863516").PN.	IBM TDB USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	2002/01/10 07:32
16	L16	1	15 and maximum	USPAT; US-PGPU	2002/01/10 07:32
17	L17	2	("4987212").PN.	USPAT; US-PGPU	2002/01/10 07:32
18	L18	2	17 and powder	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM_TDB	2002/01/10 07:32

	L #	Hits	Search Text	DBs	Time Stamp
19	L20	2	powder\$2 and 3 same 4 and (4 same (max or maximum) or 4 near10 (fig or figure))	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	2002/01/10 07:34
20	L21	155	powder\$2 and 2 same 4 and (4 same (max or maximum) or 4 near10 (fig or figure))	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	2002/01/10 07:34
21	L22	7	21 not 10	USPAT; US-PGPU	2002/01/10 07:34
22	L23	1445295	polyester or acrylic or acrylate or polyethylene or polypropylene or urethane or nylon or polyvinyl adj chloride or (polyethylene or polybutylene) adj terephthalate or epoxy		2002/01/10 07:36
23	L24	243	23 and 3 and 4 and powder\$2	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	2002/01/10 07:37
24	L25	29	23 and 3 and 4 same (figure or maximum) and powder\$2	USPAT; US-PGPU B; EPO;	2002/01/10 07:45
25	L26	0	(2 or 3) near10 d100	USPAT; US-PGPU	2002/01/10 07:45
26	L27	36	(2 or 3) near10 maximum near5 (diameter or size) near5 "50"	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	2002/01/10 10:57
27	L28	20	3 near10 figure	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM_TDB	2002/01/10 07:49

	L#	Hits	Search Text	DBs	Time Stamp
28	L29	59	1 near5 low near3 gloss	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	2002/01/10 07:51
29	L30	3	29 and (3 or 2)	USPAT; US-PGPU	2002/01/10 07:52
30	L32	1041	4 near10 silica	USPAT; US-PGPU B; EPO;	2002/01/10 07:53
31	L31	2	(zeeosphere or eccosphere or extendosphere or spheriglass) near10 4	USPAT; US-PGPU	2002/01/10 07:53
32	L33	2	1 and 32 and 4 same (max or maximum)	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	2002/01/10 07:55
33	L34	2	1 and 32 and 4 same (dm or "d.sub.m" or figure)	USPAT; US-PGPU B; EPO;	2002/01/10 07:55
34	L36	6	powder\$2 and 32 and 4 same (dm or "d.sub.m" or figure)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2002/01/10 07:55
35	L35	40	powder\$2 and 32 and 4 same (max or maximum)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2002/01/10 07:55
36	L39	0	3 near10 4 and 4 same (max or maximum)	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM_TDB	2002/01/10 08:37

	L #	Hits	Search Text	DBs	Time Stamp
37	L40	2	3 near10 maximum near5 (diameter or size) and 23 and (granulat\$3 or pulveriz\$4)	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM_TDB	2002/01/10 09:17
38	L38	140		USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM_TDB	2002/01/10 09:01
39	L41	25	3 near10 maximum near5 (diameter or size)	DERWENT; IBM_TDB	2002/01/10 08:48
40	FAMILY	1	1994-250928.NRAN.	DERWENT	2002/01/10 08:49
41	L43	16	3 near10 4	USPAT; US-PGPU B; EPO;	2002/01/10 08:55
42	L44	0	3 near10 4 near10 "50"	USPAT; US-PGPU	2002/01/10 08:51
43	L46	72	2 near10 4 near10 "50"	USPAT; US-PGPU	2002/01/10 08:52
44	ь47	5	46 and 3	USPAT; US-PGPU	2002/01/10 08:54
45	L48	3	("5859075").PN.	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM_TDB	2002/01/10 08:54

	L#	Hits	Search Text	DBs	Time Stamp
46	L49	1	48 and (average or median)	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	2002/01/10 08:54
47	L50	132	3 near10 distribution	USPAT; US-PGPU	2002/01/10 08:58
48	L51	7	(powder\$2 or pulveriz\$4 or granulat\$3) and 3 near10 4	USPAT; US-PGPU	2002/01/10 10:39
49	L52	3	(powder\$2 or pulveriz\$4 or granulat\$3) and 2 near10 4 and 2 same 3	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	2002/01/10 09:01
50	L53	64	(2 or filler) same 3 and (2 or filler) same 4	USPAT; US-PGPU B; EPO; JPO; DERWENT ;	2002/01/10 09:01
51	L54	4919	(spherical or spheroidal) near5 bead	USPAT; US-PGPU B; EPO; JPO; DERWENT;	2002/01/10
52	L 55	97	54 same 4	IBM TDB USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	2002/01/10 09:10
53	L56	27	54 near10 maximum near5 (diameter or size)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2002/01/10 11:30
54	L57	43249	(glass or ceramic or polymer\$2 or metal) near5 bead	USPAT; US-PGPU	2002/01/10 09:20

	L #	Hits	Search Text	DBs	Time Stamp
55	L60	229	microsphere near10 ((maximum near5 (diameter or size)) or 4)	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	2002/01/10 09:21
56	L61	205	57 near10 ((maximum near5 (diameter or size)) or 4)	USPAT; US-PGPU B; EPO; JPO; DERWENT;	2002/01/10 10:09
57	L62	115	(powder\$2 or pulveriz\$4 or granulat\$3) and 60	IBM_TDB USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/10 09:47
58	L63	60	(powder\$2 or pulveriz\$4 or granulat\$3) and 61	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	2002/01/10 12:55
59	L64	369	(polyolefin or polyurethane or polyester) near5 microsphere	USPAT; US-PGPU B; EPO; JPO; DERWENT;	2002/01/10 10:09
60	L65	8	64 near10 ((maximum near5 (diameter or size)) or 4)	;	2002/01/10 10:14
61	L66	33	64 near10 (diameter or size)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2002/01/10 10:11
62	L67	15569	(spherical or spheroidal) near5 (glass or ceramic or polymer or metal)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2002/01/10 11:29
63	L68	332	67 near10 ((maximum near5 (diameter or size)) or 4)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/10 10:29

	L#	Hits	Search Text	DBs	Time Stamp
64	L69	15	67 near10 4 and 67 same (max or maximum)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2002/01/10 10:15
65	L70	193	(powder\$2 or pulveriz\$4 or granulat\$3) and 68	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	2002/01/10 10:18
66	L71	41	67 near10 ((maximum near5 (diameter or size)) or dmax or "d.sub.max" or dm or "d.sub.m")	USPAT; US-PGPU	2002/01/10 11:29
67	L72	32	silica near10 particle near5 (size or diameter) near10 gloss	USPAT; US-PGPU	2002/01/10 10:34
68	L73	25	3 near10 (maximum near5 (diameter or size))	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2002/01/10 10:37
69	L 75	3	3 near10 4 near10 (mu or micron)	USPAT; US-PGPU B; EPO;	2002/01/10 10:38
70	L76	16	3 near10 4	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2002/01/10 10:38
71	L77	973	3 same silica	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	2002/01/10 10:39
72	L78	534	(powder\$2 or pulveriz\$4 or granulat\$3) and 77	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM_TDB	2002/01/10 10:40

	L#	Hits	Search Text	DBs	Time Stamp
73	L79	225	78 and epoxy	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	2002/01/10 10:54
74	L80	24	29 and silica	USPAT; US-PGPU	2002/01/10 10:54
75	L81	8	gloss near10 maximum near5 (diameter or size)	USPAT; US-PGPU	2002/01/10 11:16
76	L82	2127	spheriglas or fillite or eccosphere or ucar or miralite or b23/50 or sphericel or scotchlite	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	2002/01/10 11:18
77	L83	88	82 near10 (size or diameter)	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	
78	L84	23	(glass adj microsphere) near5 defin\$5	USPAT; US-PGPU B; EPO;	2002/01/10 11:27
79	L85	5	82 near10 "50" near10 (micron or um or mu)	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	2002/01/10 11:27
80	L86	11901	(sphere or spheroid) near5 (glass or ceramic or polymer or metal)	USPAT; US-PGPU B; EPO; JPO; DERWENT;	2002/01/10 11:30
81	L87	19	86 near10 ((maximum near5 (diameter or size)) or dmax or "d.sub.max" or dm or "d.sub.m")	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM_TDB	2002/01/10 11:30

	L #	Hits	Search Text	DBs	Time Stamp
82	L88	891	3 near5 (diameter or size)	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	2002/01/10 11:30
83	L89	2518	(powder\$2 or pulveriz\$4 or granulat\$3) and 3	USPAT; US-PGPU	2002/01/10 12:16
84	L90	2	("6063835").PN.	USPAT; US-PGPU B; EPO;	2002/01/10 12:20
85	L91	181	1 and 23 and 3	USPAT; US-PGPU	2002/01/10 12:21
86	L92	4407	(glass or ceramic or metal) near5 microsphere or spheroidal near5 mineral	USPAT; US-PGPU	2002/01/10 12:22
87	L93	1556	eccosphere adj (mc?37 or mc adj 37 or ftd?202 or ftd adj "202" or si) or fillite adj 200?7 or q?cel adj "300" or b23/500 or ucar bjo?0930 or miralite adj "177"	USPAT; US-PGPU	2002/01/10 12:24
88	L94	168	1 and 23 and 92	USPAT; US-PGPU	
89	L95	56	1 and 23 and 93	USPAT; US-PGPU	2002/01/10 12:25
90	L96	62	(94 or 95) and gloss	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/10 12:51

	L #	Hits	Search Text	DBs	Time Stamp
91	L97	1608	23 and (92 or 93) and powder\$2	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	2002/01/10 12:40
92	L98	165	97 and gloss	USPAT; US-PGPU B; EPO; JPO; DERWENT;	2002/01/10 12:45
93	L100	5	1 same 23 same (92 or 93)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2002/01/10 12:46
94	L99	157	(94 or 95) not 96	USPAT; US-PGPU B; EPO;	2002/01/10 12:51
95	L101	1	("6287372").PN.	USPAT; US-PGPU	2002/01/10 12:51
96	L102	1	101 and powder	USPAT; US-PGPU B; EPO;	
97	L103	40	(94 or 95) and matte	USPAT; US-PGPU	2002/01/10 12:52
98	L104	38	103 not 96	USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB	2002/01/10 12:52
99	L105	458	(powder\$2 or pulveriz\$4 or granulat\$3) and 23 and 93	USPAT; US-PGPU	2002/01/10 12:56

	L #	Hits	Search Text	DBs	Time Stamp
100	L106	83	105 and (gloss or matte)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2002/01/10 12:58